

CONTENTS VOLUME 66

Number 1

ORIGINAL PAPERS

- S. Ahmed: Parasites of markhor, urial and Chiltan wild goat in Pakistan3
- N. Amiri-Dashatan, M. Koushki, N. Ahmadi: Comparison of gene expression of pyruvate kinase and trypanothione peroxidase in metacyclic promastigote forms of *Leishmania (L.) tropica* and *L. major* by real-time PCR13
- F. Bahrami, A. Haghighi, G. Zamini, M. Khademerfan: Molecular evidence for zoonotic transmission of *Blastocystis* subtypes in Kurdistan Province, West of Iran19
- L.L. Corrêa, R.M. Takemoto, M.T. Ueta, E.A. Adriano: New records and prevalence of metazoan parasites of fish in the southeastern Brazilian region27
- C.E. González, M.I. Duré, S.Y. Palomas, E.F. Schaefer: Structure of the helminth community in *Dermatonotus muelleri* (Anura: Microhylidae) from the driest area of the American Chaco39
- T.A. Kuzmina, N.S. Zvegintsova, N.I. Yasynetska, V.A. Kharchenko: Anthelmintic resistance in strongylids (Nematoda: Strongylidae) parasitizing wild and domestic equids in the Askania Nova Biosphere Reserve, Ukraine49
- V. Shyrobokov, V. Poniatovskiy, A. Chobotar, R. Sałamatın: Applying of bacteria *Cellulosimicrobium* sp. for cultivation protozoa of genus *Acanthamoeba*61
- V. Shyrobokov, V. Poniatovskiy, A. Chobotar, R. Sałamatın: Morphological, physiological and genetic characteristics of protozoa of genus *Acanthamoeba*, isolated from different deposit of bentonite in Ukraine69
- M. Soosaraci, M. Fakhari, S.H. Teshnizi, R.Z. Emameh, H.Z. Hezarjaribi, S. Asfaram, R. Faridnia, H. Kalani: Status of fasciolosis among domestic ruminants in Iran based on abattoir data: a systematic review and meta-analysis ..77
- Z. Zając, A. Woźniak, J. Kulisz: Infestation of dairy cows by ticks *Dermacentor reticulatus* (Fabricius, 1794) and *Ixodes ricinus* (Linnaeus, 1758) in eastern Poland87

SHORT NOTES

- M. Basiaga, V. Levytska, J. Kowal, P. Nosal, A. Wyrobisz-Papiewska: Coccidiosis – a problem in backyard rabbitries97
- D. Chagas de Souza, A. Nogueira, L.L. Corrêa: Parasitism by *Clinostomum marginatum* (Clinostomidae) in neotropical electric fish (Gymnotiformes) in the Brazilian Amazon101
- A.W. Demiaszkiewicz, A.M. Pyziel, J. Lachowicz, K. Filip-Hutsch: Occurrence of tapeworms *Moniezia benedeni* (Moniez, 1879) in European bison *Bison bonasus* L. in Białowieża Primeval Forest107
- B. Hagojoses, F. Masangkay, J.B. Fernandez, J.A. Lazaro, D.E. Medroso, B. Olaguera, C.M. Pastores, J. Santos, G. Milanez: Molecular identification of *Acanthamoeba* sp. in Lake Buhi, Philippines111
- Y. Sulieman, M.A. Zakaria, T. Pengsakul: Prevalence of intestinal helminth parasites of stray dogs in Shendi area, Sudan115

Number 2

REVIEW ARTICLES

- M.S. Al-Aboody, M.A. Omar, A.F. Al-Sayeqh: Epizootiology of zoonotic parasites in Middle East: a comprehensive review125

ORIGINAL PAPERS

- E. Abass, A. Haroun, M. Jomaa: Serological screening of HIV and viral hepatitis revealed low prevalence among visceral leishmaniasis in Sudan135
- Q. Asgari, I. Mohammadpour, F. Bozorg-Ghalati, M.H. Motazedian, M. Kalantari, S. Hosseini: Alarming: high prevalence of *Leishmania infantum* infection in cats from southern Iran based on molecular and serological methods143
- F. Ashoori, M. Fakhari, H.R. Goli, F. Mirzaee, R. Faridnia, H. Kalani, S. Shahani: Antileishmanial and antibacterial activities of the hydroalcoholic extract of *Rhus coriaria* L.157
- S.M. Barghash: Molecular changes in *Trypanosoma evansi* after treatment against trypanosomiasis165
- A. Barman, S.M. Abdullah, Y. Ali, M. Rahman, U.K. Mohanta: Prevalence and detail morphological identification of

- helminths of murine rodents in Dhaka city, Bangladesh175
- E.A.M. Husecin, H. Khalifa, S.H. Hassaan, H.M.M. Farrag, I. Shaaban, G.K. Ramadan: Seroprevalence of *Toxoplasma gondii* among patients with schizophrenia and bipolar disorder in Upper Egypt: a comparative study with a control group183
- S. Khademvatan, K. Khademvatani, K. Hazrati-Tappeh, N. Asadi, P. Khezri, E. Abasi: Association of *Toxoplasma gondii* infection with cardiovascular diseases: a cross sectional study among patients with heart failure diseases in Urmia, North-West of Iran193
- V. Monteón, A. López-Monteón, J. López-Domínguez, R. López, A. Ramos-Ligonio: Gene expression to contaminated or not contaminated *Triatoma dimidiata*'s faeces with *Trypanosoma cruzi* *in vivo* and *in vitro* assay201
- L. Shamsi, S. Samaeinasab, S.T. Samani: Prevalence of hydatid cyst, *Fasciola* spp. and *Dicrocoelium dendriticum* in cattle and sheep slaughtered in Sabzevar abattoir211
- D. Chagas de Souza, J.C. Eiras, E.A. Adriano, L.L. Corrêa: Metazoan parasites of *Plagioscion squamosissimus* (Osteichthyes: Sciaenidae) of two rivers from the eastern Amazon (Brazil)217

SHORT NOTES

- D. Blažeković-Dimovska, S. Stojanovski: First record of *Apiosoma piscicola* (Blanchard, 1885) (Ciliophora: Epistylididae) in common carp (*Cyprinus carpio* Linnaeus, 1758) (Pisces: Cyprinidae) from aquaculture facilities in North Macedonia227
- N. Kuśmierk, M. Babecka, O. Osak, M. Popiołek: Occurrence of geohelminths in soil of children's playgrounds and green areas in the city of Wrocław, Poland231
- L. Rolbiecki, J.N. Izdebska, J. Dzido: The helminthofauna of the garfish *Belone belone* (Linnaeus, 1760) from the southern Baltic Sea, including new data237
- D. Chagas de Souza, L.F. de Sousa, T.A. Coêlho, L.L. Corrêa: Host-parasite interaction between trematode, *Clinostomum marginatum* (Clinostomidae) and armoured catfish, *Pterygoplichthys pardalis* (Loricariidae) from Brazilian Amazon243
- A. Zida, I. Sangare, D. Nezien, S. Bretagne, S. Bamba, M. Deniau, R.T. Guiguemde: *Mastomys natalensis*, *Cricetomys gambianus* and *Taterillus* sp. were found PCR positive for *Leishmania major* in Burkina Faso, West Africa ..251

CASE REPORTS

- Ł. Adaszek, M. Gatellet, Ł. Mazurek, P. Dębiak, M. Skrzypczak, S. Winiarczyk: Myocarditis secondary to *Borrelia* infection in a dog: a case report255

FROM THE SCIENTIFIC LIFE

- J. Dupouy-Camet, C.M.O. Kapel, E. Gołąb, B. Scandrett, D. Zarlenga: Early days of the International Commission on Trichinellosis (1958–1972)259

Number 3

REVIEW ARTICLES

- P.E. Chidebelu, E.I. Nweze: The persistence of amoebiasis caused by *Entamoeba histolytica* in Nigeria and the role of malnutrition271
- O.O. Obebe, O.O. Olajuyigbe, O.O. Falohun: Prevalence of asymptomatic *Plasmodium falciparum* infection in pregnant women in Nigeria: a systematic review and meta-analysis283

ORIGINAL PAPERS

- M.M.F. Al-Halbosiy, H.Z. Ali, G.M. Hassan, F. Ghaffarifar: Artemisinin efficacy against old world *Leishmania donovani*: *in vitro* and *ex vivo* study295
- V. Esvaran, A. Jagadish, O. Terenius, S. Suraporn, R.K. Mishra, K.M. Ponnuvel: Targeting essential genes of *Nosema* for the diagnosis of pebrine disease in silkworms303
- M. Gaber, L.A.A. Galal, D. Hassan, D.M. Badary, I.M.A. Mohamed, N. Elossily: Evidences of brain and lung invasion of a local water *Cryptosporidium parvum* isolate in comparison to Iowa strain: serological and immunohistochemical cytokine evaluation311
- B. Hajduga-Staško, O. Pawełczyk, K. Solarz: Comparison of the domestic mites abundance in dwellings on selected urban and rural areas of the Zawiercie district (south-west Poland)319
- N.A. Khelifi-Ouchene, N. Ouchene, A. Dahmani, E.A. Kaaboub, I. Ouchetati, A. Haif: Investigation of internal and

- external parasites of the camels (*Camelus dromedarius*) in Algeria331
- F. Koohsar, H. Hajjaran, S. Heidari, E. Darabi, S. Fathi, M. Borhani, F. Mesgarian: Molecular identification of *Leishmania* species isolated from patients with cutaneous leishmaniasis in Gonbad Kavoods, northeastern of Iran using HSP70 and ITS-based PCR-RFLP339
- D. Minaya-Angoma, J. Iannacone, L. Alvaríño: Component community of helminth parasites in black cuskeel *Genypterus maculatus* (Tschudi, 1846) from north Peru347
- E. Moradi-Asl, S. Jafari: The habitat suitability model for the potential distribution of *Ornithodoros tholozani* (Laboulbène et Mégnin, 1882) and *Ornithodoros lahorensis* (Neumann, 1908) (Acari: Argasidae): the main vectors of tick-borne relapsing fever in Iran357
- P. Norouzi, M.A. Mohaghegh, M. Ghorbani, M. Mirzaii, M. Abolhassani, S.R. Mirbadie: Investigating the prevalence of intestinal parasites with an emphasis on *Strongyloides stercoralis* infection in hospitalized patients: a regional report from Iran365
- S.D. Ola-Fadunsin, M. Rabiú, K. Hussain, I.M. Sanda, I.A. Ganiyu: Epidemiological studies of *Eimeria* species of cattle in Ilorin, north-central Nigeria373
- S. Piratae, K. Dokkaew, B. Inthapan, S. Detput, A. Phosri: Associated risk factors and haematological presentation of *Ehrlichia canis* infected dogs in Phitsanulok, Thailand385
- G. Ramallo, C.R. Bursey, S.R. Goldberg, A.L. Ruiz, T.M.C. Corbalan: *Rhabdias elegans* (Nematoda: Rhabdiasidae) in the toad, *Rhinella arenarum* (Hensel, 1867) from Argentina391
- B. Rodrigues, P.A.B. Salgado, I.H.L. Gonzalez, A. Quadri, M.M. Holeman, P.L. Ramos, C.R.F. Chagas: Comparative analyses of coproscopical techniques to diagnose enteroparasites in a group of captive Indian peafowl (*Pavo cristatus*)397

SHORT NOTES

- D. Chagas de Souza, P.F. França, T.A. Coêlho, I.R.G. Posiadlo, J.M. Oliveira, T.M. Sanaiotti, E.V. Lopes, L.L. Corrêa: Morphometric and morphological characterization of *Trypanosoma* sp. (Kinetoplastea: Trypanosomatidae) hemoparasite of Crested Eagle, *Morphnus guianensis* in the Brazilian Amazon407

CASE REPORTS

- Z. Fakhrieh-Kashan, Z. Abedini-Senseni, M. Arfaatabar: Acute allergic reaction following cutaneous leishmaniasis (CL) transmission in Kashan, central Iran: a case report415

Number 4

REVIEW ARTICLES

- G.N. Castillo, J.C. Acosta, C.J. González-Rivas, G. Ramallo: Checklist of nematode parasites of reptiles from Argentina425
- K. Kowalczyk, T. Kłapeć: Contamination of soil with eggs of geohelminths *Ascaris* spp., *Trichuris* spp., *Toxocara* spp. in Poland – potential source of health risk in farmers433
- J. Kufel: Pathological structural changes in the brain in the course of neurocysticercosis – pathogenesis, serological diagnostics and imaging: a literature review441
- S.O. Movsesyan, E.A. Vlasov, M.A. Nikoghosian, R.A. Petrosian, M.G. Ghasabyan, D.N. Kuznetsov: Nematodes of birds of Armenia447
- P. Pluta, R. Sokół: Changes in the expression of antimicrobial peptide genes in honey bees (*Apis mellifera*) under the influence of various pathogens457
- A. Shiven, A. Alam, D.N. Kapoor: Natural and synthetic agents for the treatment of *Sarcoptes scabiei*: a review .467

ORIGINAL PAPERS

- E. Abass: Low serum zinc concentrations in Sudanese patients with visceral leishmaniasis does not impair the anti-*Leishmania* antibody response481
- Q.A.S.K. Al-Juboori, A.A. Mohemeed, T.A. Salih: Effectiveness of aqueous extracts of pumpkins seeds in the initial hydatid vitality isolated from outside of the body of sheep489
- J. Gharekhani, M. Yakhchali: Vertical transmission of *Neospora caninum* in Iranian dairy cattle495
- O.C. Iacob, W.M. El-Deeb, S.A. Paşca, A.I. Turtoi: Uncommon co-infection due to *Monezia expansa* and *Monezia benedeni* in young goats from Romania: morphological and histopathological analysis501
- M. Khames, S. Sihem, H. Hizia, P. Nguewa: High toxoplasmosis seroprevalence among young pregnant women in

Medea, Algeria	509
A. Kornacka, A. Cybulska, J. Bień-Kalinowska, A.W. Demiaszkiewicz, D. Merta, J. Kobielski, J. Werszko, K. Filip-Hutsch, B. Moskwa: <i>Ashworthius sidemi</i> in cattle and wild ruminants in Poland – the current state of play . . .	517
V.F. Magalhães, N.M.S. Oliveira, B.C. Mata e Silva, M.J. Marques, H.P. Darcadia, D.A. Nogueira: Prevalence of zoonotic intestinal parasites in domiciled dogs living in the urban area of Alfenas, State of Minas Gerais, Brazil . . .	521
B.R. Mohammed, R.I.S. Agbede, Z.S. Tags: First incidence of ectoparasites in Abuja Zoological Parks, Abuja, Nigeria	533
J. Moroz, A.J. Kurnatowska, P. Kurnatowski: The <i>in vitro</i> activity of selected mouthrinses on <i>Candida</i> strains isolated from the oral cavity	539
W.L. Rivera, I.M. C. Aquino, A.E. de Cadiz, E.A. Villacorte, P.N. Tongol-Rivera, H. Kanbara: Prevalence of <i>Entamoeba histolytica</i> and <i>Entamoeba dispar</i> among residents of an urban slum area in Manila, Philippines as detected by the polymerase chain reaction	547
L. Shamsi, S. Samacinasab, A. Haghghatkah: Identification of ectoparasites of camels in Sabzevar City, Iran . . .	555
O.A. Toure, S.B. Assi, P.M.C. Kiki-Barro, W. Yavo, T. Abba, L.N. Tiacoh, A.A. Konate, E.K. Angora, V.A. Bedia, H. Menan, A.K. Daho, B. Emmanuel: Efficacy and safety of artesunate-amodiaquine and artemether lumefantrine, the first line malaria treatment in six sentinel's sites of Cote d'Ivoire, West Africa	561

SHORT NOTES

A. Kaczmarek, A. Rocka, M. Wesołowska, E. Gołąb, R. Sałamatin: <i>Blastocystis</i> isolates from a dog and their owners presenting with chronic diarrhoea. Dogs as reservoirs of <i>Blastocystis</i> : research in Poland and worldwide	573
E.C. Oliveira, T.A. Coêlho, D.Chagas de Souza, L.L. Corrêa, R.A. Kawashita-Ribeiro: New anuran amphibian host for <i>Hemolivia</i> sp. (Adeleorina: Karyolysidae) in the Neotropical region	581
N. Omidinia, M. Zibaci, H. Hosseini, K. Pourrostami, A.V. Eslahi, M. Badri: Human hydatidosis in Alborz Province: a 5-year retrospective epidemiological analysis of hospitalized cases (2014–2019)	587
Z. Zajac: Estimated population size of <i>Dermacentor reticulatus</i> ticks (Fabricius, 1794) in an endemic area of the species in eastern Poland	593

CASE REPORTS

H. Zaheer, I. Rashid, H. Akbar, R.K. Farooq, S. Shabir, Z. Rehman, A. Abid, S. Ali, N. Akram, M.H. Alvi: Expiry of a completely splenectomised calf in post-operative period due to mixed piroplasm infection: a case report	599
--	-----

LETTERS

B.M. Poor, J. Rashedi, M. Asgharzadeh: Are natural hot springs and spas potential source for health-threatening free-living amoebas (FLAs)?	607
---	-----